



Institutional Castors



Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing
Wheel: grey polypropylene wheel centre dark grey shore a 85th thermoplastic rubber tread, plain bore



Swivel Castor

									Order number
	75	28	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1S75D28DTPPX3612
	75	28	105x80	80x60	16x8.5	30.5	103	75	18P1S/S75D28DTPPX3612
	100	32	77x67	55.7x46.5	16x8.5	40	137	100	18P1S100D32DTPPX3612
	100	32	105x80	80x60	16x8.5	40	137	100	18P1S/S100D32DTPPX3612
	125	32	77x67	55.7x46.5	16x8.5	43	162	100	18P1S125D32DTPPX3612
	125	32	105x80	80x60	16x8.5	43	162	100	18P1S/S125D32DTPPX3612

Fixed Castor

								Order number
	75	28	77x67	55.7x46.5	16x8.5	103	75	18P1F75D28DTPPX3612
	75	28	105x80	80x60	16x8.5	103	75	18P1F/S75D28DTPPX3612
	100	32	77x67	55.7x46.5	16x8.5	137	100	18P1F100D32DTPPX3612
	100	32	105x80	80x60	16x8.5	137	100	18P1F/S100D32DTPPX3612
	125	32	77x67	55.7x46.5	16x8.5	162	100	18P1F125D32DTPPX3612
	125	32	105x80	80x60	16x8.5	162	100	18P1F/S125D32DTPPX3612

Swivel Castor With Total Lock

									Order number	
	75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPPX3612
	75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPPX3612
	100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPPX3612
	100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPPX3612
	125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPPX3612
	125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPPX3612

Swivel Castor With Total Lock

									Order number	
	75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPPX3612
	75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPPX3612
	100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPPX3612
	100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPPX3612
	125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPPX3612
	125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPPX3612

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing
Wheel: grey polypropylene wheel centre dark grey shore a 85th thermoplastic rubber tread, plain bore



Swivel Castor With Bolt Hole

							Order number
	75	28	30.5	φ10.3/φ13	100.5	75	18H1S75D28DTPPX3612
	100	32	40	φ10.3/φ13	134.5	100	18H1F100D32DTPPX3612
	125	32	43	φ10.3/φ13	159.5	100	18H1F125D32DTPPX3612

Swivel Castor With Bolt Hole And Total Lock

								Order number
	75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPPX3612
	100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPPX3612
	125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPPX3612

Swivel Castor With Bolt Hole And Total Lock

								Order number
	75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPPX3612
	100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPPX3612
	125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPPX3612

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing
Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, grey plastic thread guards



Swivel Castor



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1S75D28DTPBB378	
75	28	105x80	80x60	16x8.5	30.5	103	75	18P1S/S75D28DTPBB378	
100	32	77x67	55.7x46.5	16x8.5	40	137	100	18P1S100D32DTPBB378	
100	32	105x80	80x60	16x8.5	40	137	100	18P1S/S100D32DTPBB378	
125	32	77x67	55.7x46.5	16x8.5	43	162	100	18P1S125D32DTPBB378	
125	32	105x80	80x60	16x8.5	43	162	100	18P1S/S125D32DTPBB378	

Fixed Castor



								Order number
75	28	77x67	55.7x46.5	16x8.5	103	75	18P1F75D28DTPBB378	
75	28	105x80	80x60	16x8.5	103	75	18P1F/S75D28DTPBB378	
100	32	77x67	55.7x46.5	16x8.5	137	100	18P1F100D32DTPBB378	
100	32	105x80	80x60	16x8.5	137	100	18P1F/S100D32DTPBB378	
125	32	77x67	55.7x46.5	16x8.5	162	100	18P1F125D32DTPBB378	
125	32	105x80	80x60	16x8.5	162	100	18P1F/S125D32DTPBB378	

Swivel Castor With Total Lock



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPBB378
75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPBB378
100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPBB378
100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPBB378
125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPBB378
125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPBB378

Swivel Castor With Total Lock



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPBB378
75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPBB378
100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPBB378
100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPBB378
125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPBB378
125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPBB378

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing
Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, grey plastic thread guards



Swivel Castor With Bolt Hole



							Order number
75	28	30.5	φ10.3/φ13	100.5	75	18H1S75D28DTPBB378	
100	32	40	φ10.3/φ13	134.5	100	18H1S100D32DTPBB378	
125	32	43	φ10.3/φ13	159.5	100	18H1S125D32DTPBB378	

Swivel Castor With Bolt Hole And Total Lock



								Order number
75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPBB378	
100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPBB378	
125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPBB378	

Swivel Castor With Bolt Hole And Total Lock



								Order number
75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPBB378	
100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPBB378	
125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPBB378	

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing

Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, plain bore, metal thread guards



-20 / +60°C
 4 KM/H
 75 - 100 KG
 97 - 139MM

Adjustable Swivel Castor



								Order number
75	28	96x90	77/55x70	10.2	30.5	97-106	75	18P1S/S75D28DTPPD3612
100	32	96x90	77/55x70	10.2	40	118-127	100	18P1S/S100D32DTPPD3612
125	32	96x90	77/55x70	10.2	43	130-139	100	18P1S/S125D32DTPPD3612

Adjustable Fixed Castor



							Order number
75	28	96x90	77/55x70	10.2	97-106	75	18P1F/S75D28DTPPD3612
100	32	96x90	77/55x70	10.2	118-127	100	18P1F/S100D32DTPPD3612
125	32	96x90	77/55x70	10.2	130-139	100	18P1F/S125D32DTPPD3612

Adjustable Swivel Castor With Total Lock



									Order number
75	28	96x90	77/55x70	10.2	30.5	100.5	97-106	75	18P1TB/S75D28DTPPD3612
100	32	96x90	77/55x70	10.2	40	113.5	118-127	100	18P1TB/S100D32DTPPD3612
125	32	96x90	77/55x70	10.2	43	120.5	130-139	100	18P1TB/S125D32DTPPD3612